

SIG CODESEXPANED SIG

.25 or ¼	ONE-FOURTH
.5 or ½	ONE-HALF
.75 or ¾	THREE-FOURTHS
1.5	ONE AND ONE-HALF
2.5	TWO AND ONE-HALF
&	AND
.5-1 or 1/2 TO 1	ONE-HALF TO ONE
1-2 or 1 TO 2	1 TO 2
1-2X	ONCE OR TWICE A DAY
15CC or 15ML	TABLESPOONFUL
1HS	1 AT BEDTIME
1STAT or 1NOW	TAKE ONE NOW, THEN
2-3X or 2-3D	2-3 TIMES A DAY
2C12	TAKE TWO CAPSULES EVERY TWELVE HOURS
2C2	TAKE TWO CAPSULES EVERY TWO HOURS
2C3	TAKE TWO CAPSULES EVERY THREE HOURS
2C34	TAKE TWO CAPSULES EVERY 3 TO 4 HOURS
2C4	TAKE TWO CAPSULES EVERY FOUR HOURS
2C46	TAKE TWO CAPSULES EVERY 4 TO 6 HOURS
2C6	TAKE TWO CAPSULES EVERY SIX HOURS
2C68	TAKE TWO CAPSULES EVERY 6 TO 8 HOURS
2C8	TAKE TWO CAPSULES EVERY EIGHT HOURS
2CA	TAKE TWO CAPSULES IN THE MORNING
2CB	TAKE TWO CAPSULES TWICE DAILY
2CD	TAKE TWO CAPSULES DAILY
2CH	TAKE TWO CAPSULES AT BEDTIME
2CP	TAKE TWO CAPSULES IN THE EVENING
2CQ	TAKE TWO CAPSULES FOUR TIMES DAILY
2CT	TAKE TWO CAPSULES THREE TIMES DAILY
2HS	AND 2 AT BEDTIME
2M	TAKE TWO TABLESPOONFULS DISSOLVED IN FLUID DAILY
2MB or MB2	TAKE TWO TABLESPOONFULS DISSOLVED IN FLUID TWICE
DAILY	
2MET or MET2	TAKE TWO TABLESPOONFULS IN 8 OUNCES OF LIQUID
DAILY	
2STAT or 2NOW	TAKE TWO NOW, THEN
2T12	TAKE TWO TABLETS EVERY TWELVE HOURS
2T2	TAKE TWO TABLETS EVERY TWO HOURS
2T3	TAKE TWO TABLETS EVERY THREE HOURS
2T34	TAKE TWO TABLETS EVERY 3 TO 4 HOURS
2T4	TAKE TWO TABLETS EVERY FOUR HOURS
2T46	TAKE TWO TABLETS EVERY 4 TO 6 HOURS
2T6	TAKE TWO TABLETS EVERY SIX HOURS
2T68	TAKE TWO TABLETS EVERY 6 TO 8 HOURS
2T8	TAKE TWO TABLETS EVERY EIGHT HOURS
2TA	TAKE TWO TABLETS IN THE MORNING
2TB	TAKE TWO TABLETS TWICE DAILY
2TD	TAKE TWO TABLETS DAILY
2TH	TAKE TWO TABLETS AT BEDTIME
2TP	TAKE TWO TABLETS IN THE EVENING
2TQ	TAKE TWO TABLETS FOUR TIMES DAILY
2TT	TAKE TWO TABLETS THREE TIMES DAILY
2Y12	TAKE TWO TEASPOONFULS EVERY TWELVE HOURS
2Y2	TAKE TWO TEASPOONFULS EVERY TWO HOURS

SIG CODEEXPANDED

2Y3	TAKE TWO TEASPOONFULS EVERY THREE HOURS
2Y34	TAKE TWO TEASPOONFULS EVERY 3 TO 4 HOURS
2Y4	TAKE TWO TEASPOONFULS EVERY FOUR HOURS
2Y46	TAKE TWO TEASPOONFULS EVERY 4 TO 6 HOURS
2Y6	TAKE TWO TEASPOONFULS EVERY SIX HOURS
2Y68	TAKE TWO TEASPOONFULS EVERY 6 TO 8 HOURS
2Y8	TAKE TWO TEASPOONFULS EVERY EIGHT HOURS
2YA	TAKE TWO TEASPOONFULS IN THE MORNING
2YB	TAKE TWO TEASPOONFULS TWICE DAILY
2YD	TAKE TWO TEASPOONFULS DAILY
2YH	TAKE TWO TEASPOONFULS AT BEDTIME
2YP	TAKE TWO TEASPOONFULS IN THE EVENING
2YQ	TAKE TWO TEASPOONFULS FOUR TIMES DAILY
2YT	TAKE TWO TEASPOONFULS THREE TIMES DAILY
2Z12	TAKE TWO TABLESPOONFULS EVERY TWELVE HOURS
2Z2	TAKE TWO TABLESPOONFULS EVERY TWO HOURS
2Z3	TAKE TWO TABLESPOONFULS EVERY THREE HOURS
2Z34	TAKE TWO TABLESPOONFULS EVERY 3 TO 4 HOURS
2Z4	TAKE TWO TABLESPOONFULS EVERY FOUR HOURS
2Z46	TAKE TWO TABLESPOONFULS EVERY 4 TO 6 HOURS
2Z6	TAKE TWO TABLESPOONFULS EVERY SIX HOURS
2Z68	TAKE TWO TABLESPOONFULS EVERY 6 TO 8 HOURS
2Z8	TAKE TWO TABLESPOONFULS EVERY EIGHT HOURS
2ZA	TAKE TWO TABLESPOONFULS IN THE MORNING
2ZB	TAKE TWO TABLESPOONFULS TWICE DAILY
2ZD	TAKE TWO TABLESPOONFULS DAILY
2ZH	TAKE TWO TABLESPOONFULS AT BEDTIME
2ZP	TAKE TWO TABLESPOONFULS IN THE EVENING
2ZQ	TAKE TWO TABLESPOONFULS FOUR TIMES DAILY
2ZT	TAKE TWO TABLESPOONFULS THREE TIMES DAILY
3-4 or 3 TO 4	3 TO 4
3-4X or 3-4D	3-4 TIMES A DAY
3C12	TAKE THREE CAPSULES EVERY TWELVE HOURS
3C2	TAKE THREE CAPSULES EVERY TWO HOURS
3C3	TAKE THREE CAPSULES EVERY THREE HOURS
3C34	TAKE THREE CAPSULES EVERY 3 TO 4 HOURS
3C4	TAKE THREE CAPSULES EVERY FOUR HOURS
3C46	TAKE THREE CAPSULES EVERY 4 TO 6 HOURS
3C6	TAKE THREE CAPSULES EVERY SIX HOURS
3C68	TAKE THREE CAPSULES EVERY 6 TO 8 HOURS
3C8	TAKE THREE CAPSULES EVERY EIGHT HOURS
3CA	TAKE THREE CAPSULES IN THE MORNING
3CB	TAKE THREE CAPSULES TWICE DAILY
3CD	TAKE THREE CAPSULES DAILY
3CH	TAKE THREE CAPSULES AT BEDTIME
3CP	TAKE THREE CAPSULES IN THE EVENING
3CQ	TAKE THREE CAPSULES FOUR TIMES DAILY
3CT	TAKE THREE CAPSULES THREE TIMES DAILY
3STAT or 3NOW	TAKE THREE NOW, THEN
3T12	TAKE THREE TABLETS EVERY TWELVE HOURS
3T2	TAKE THREE TABLETS EVERY TWO HOURS
3T3	TAKE THREE TABLETS EVERY THREE HOURS
3T34	TAKE THREE TABLETS EVERY 3 TO 4 HOURS
3T4	TAKE THREE TABLETS EVERY FOUR HOURS

SIG CODE**EXPANDED**

3T46	TAKE THREE TABLETS EVERY 4 TO 6 HOURS
3T6	TAKE THREE TABLETS EVERY SIX HOURS
3T68	TAKE THREE TABLETS EVERY 6 TO 8 HOURS
3T8	TAKE THREE TABLETS EVERY EIGHT HOURS
3TA	TAKE THREE TABLETS IN THE MORNING
3TB	TAKE THREE TABLETS TWICE DAILY
3TD	TAKE THREE TABLETS DAILY
3TH	TAKE THREE TABLETS AT BEDTIME
3TP	TAKE THREE TABLETS IN THE EVENING
3TQ	TAKE THREE TABLETS FOUR TIMES DAILY
3TT	TAKE THREE TABLETS THREE TIMES DAILY
4C12	TAKE FOUR CAPSULES EVERY TWELVE HOURS
4C2	TAKE FOUR CAPSULES EVERY TWO HOURS
4C3	TAKE FOUR CAPSULES EVERY THREE HOURS
4C34	TAKE FOUR CAPSULES EVERY 3 TO 4 HOURS
4C4	TAKE FOUR CAPSULES EVERY FOUR HOURS
4C46	TAKE FOUR CAPSULES EVERY 4 TO 6 HOURS
4C6	TAKE FOUR CAPSULES EVERY SIX HOURS
4C68	TAKE FOUR CAPSULES EVERY 6 TO 8 HOURS
4C8	TAKE FOUR CAPSULES EVERY EIGHT HOURS
4CA	TAKE FOUR CAPSULES IN THE MORNING
4CB	TAKE FOUR CAPSULES TWICE DAILY
4CD	TAKE FOUR CAPSULES DAILY
4CH	TAKE FOUR CAPSULES AT BEDTIME
4CP	TAKE FOUR CAPSULES IN THE EVENING
4CQ	TAKE FOUR CAPSULES FOUR TIMES DAILY
4CT	TAKE FOUR CAPSULES THREE TIMES DAILY
4STAT or 4NOW	TAKE FOUR NOW, THEN
4T12	TAKE FOUR TABLETS EVERY TWELVE HOURS
4T2	TAKE FOUR TABLETS EVERY TWO HOURS
4T3	TAKE FOUR TABLETS EVERY THREE HOURS
4T34	TAKE FOUR TABLETS EVERY 3 TO 4 HOURS
4T4	TAKE FOUR TABLETS EVERY FOUR HOURS
4T46	TAKE FOUR TABLETS EVERY 4 TO 6 HOURS
4T6	TAKE FOUR TABLETS EVERY SIX HOURS
4T68	TAKE FOUR TABLETS EVERY 6 TO 8 HOURS
4T8	TAKE FOUR TABLETS EVERY EIGHT HOURS
4TA	TAKE FOUR TABLETS IN THE MORNING
4TB	TAKE FOUR TABLETS TWICE DAILY
4TD	TAKE FOUR TABLETS DAILY
4THS	TAKE FOUR TABLETS AT BEDTIME
4TP	TAKE FOUR TABLETS IN THE EVENING
4TQ	TAKE FOUR TABLETS FOUR TIMES DAILY
4TT	TAKE FOUR TABLETS THREE TIMES DAILY
5CC or 5ML	TEASPOONFUL
5STAT or 5NOW	TAKE FIVE NOW, THEN
6STAT or 6NOW	TAKE SIX NOW, THEN
A1 or AP1	APPLY ONE
AAA	APPLY TO AFFECTED AREAS
AAD	APPLY AS DIRECTED
AC	BEFORE MEALS
ACHS	BEFORE MEALS AND AT BEDTIME
AD	IN RIGHT EAR
AL	IN LEFT EAR
AM	MORNING

SIG CODE**EXPANDED SIG**

AMI or IAM	IN THE MORNING
AMPM	IN THE MORNING AND EVENING
AMT	AMOUNT
AP	APPLY
APP	APPLICATORFUL
AU	IN EACH EAR
AW or ALT	ALTERNATING WITH
BC21	TAKE 1 TABLET DAILY FOR 21 DAYS, STOP 7 DAYS, REPEAT
BC28	TAKE 1 TABLET EVERY DAY
BID	TWICE A DAY
BID-TID	2-3 TIMES A DAY
BIDAP	TWICE A DAY IN THE MORNING AND EVENING
BM	BOWEL MOVEMENT
BMHS or BCHS	BETWEEN MEALS AND AT BEDTIME
BYI or INJ	BY INJECTION
C12	TAKE ONE CAPSULE EVERY TWELVE HOURS
C2	TAKE ONE CAPSULE EVERY TWO HOURS
C3	TAKE ONE CAPSULE EVERY THREE HOURS
C34	TAKE ONE CAPSULE EVERY 3 TO 4 HOURS
C4	TAKE ONE CAPSULE EVERY FOUR HOURS
C46	TAKE ONE CAPSULE EVERY 4 TO 6 HOURS
C6	TAKE ONE CAPSULE EVERY SIX HOURS
C68	TAKE ONE CAPSULE EVERY 6 TO 8 HOURS
C8	TAKE ONE CAPSULE EVERY EIGHT HOURS
CA	TAKE ONE CAPSULE IN THE MORNING
CAP or C	CAPSULE
CAPS or CPS	CAPSULES
CB	TAKE ONE CAPSULE TWICE DAILY
CC'S or CCS	CC
CD	TAKE ONE CAPSULE DAILY
CH	CHEW
CHS	TAKE ONE CAPSULE AT BEDTIME
CP	TAKE ONE CAPSULE IN THE EVENING
CQ	TAKE ONE CAPSULE FOUR TIMES DAILY
CT	TAKE ONE CAPSULE THREE TIMES DAILY
D1-21	DAYS 1 THRU 21 OF EACH MONTH
D1-25 or PREM1-25	DAYS 1 THRU 25 OF EACH MONTH
D16-25 or PROV	DAYS 16 THRU 25 OF EACH MONTH
DC	DISCONTINUE
DIL	DILUTE
DRM or D	TEASPOONFUL
DS	DISSOLVE
E or AA	EACH
EBSP	EXTRA BOTTLE FOR SCHOOL PLEASE
ED or EPD	EPIDURAL
ESBP or ESB	EXTRA SCHOOL BOTTLE PLEASE
EXT	EXTERNALLY
F	FOR
F10 or F10D	FOR TEN DAYS
F14 or F14D	FOR FOURTEEN DAYS
F7 or F7D	FOR SEVEN DAYS
FAC	FOR A COLD
FAL	FOR ALLERGY
FAR	FOR ARTHRITIS
FAS	FOR ASTHMA

SIG CODE**EXPANDED SIG**

NAME: FAX	FOR ANXIETY
NAME: FBP	FOR BLOOD PRESSURE
NAME: FBPT	FOR BOTH PARTNERS
NAME: FC	FOR COUGH
NAME: FCG or CONG	FOR CONGESTION
NAME: FCIR	FOR CIRCULATION
NAME: FCON or CONS	FOR CONSTIPATION
NAME: FCP	FOR CHEST PAIN
NAME: FCS or CS	FOR COLD SYMPTOMS
NAME: FD	FOR DIARRHEA
NAME: FDP	FOR DENTAL PAIN
NAME: FF	FOR FLUID
NAME: FFE	FOR FEVER
NAME: FH	FOR HEART
NAME: FHA or FHD	FOR HEADACHE
NAME: FHB	FOR HEARTBURN
NAME: FHBP	FOR HIGH BLOOD PRESSURE
NAME: FHYP	FOR HYPERACTIVITY
NAME: FI	FOR INFECTION
NAME: FIN	FOR INSULIN INJECTION
NAME: FIND	FOR INDIGESTION
NAME: FIT	FOR ITCHING
NAME: FLA	DO NOT DRINK ALCOHOL WHILE TAKING THIS MEDICATION AND FOR 48 HOURS AFTER COMPLET
NAME: FLC	FOR LEG CRAMPS
NAME: FMS	FOR MUSCLE SPASM
NAME: FN	FOR NERVES
NAME: FNA	FOR NAUSEA
NAME: FNC	FOR NASAL CONGESTION
NAME: FNV	FOR NAUSEA AND VOMITING
NAME: FP	FOR PAIN
NAME: FR	FOR REST
NAME: FSB or SOB	FOR SHORT BREATH
NAME: FSI	FOR SINUS
NAME: FSL	FOR SLEEP
NAME: FSP	FOR SEVERE PAIN
NAME: FST	FOR STOMACH
NAME: FSW	FOR SWELLING
NAME: FUT	FOR URINE TESTING
NAME: FV	FOR VOMITING
NAME: FW	FOR WHEEZING
NAME: G or GTT	DROP
NAME: GARG or GAR	GARGLE
NAME: GF or DRF	DROPPERFUL
NAME: GTTS	DROPS
NAME: GV	GIVE
NAME: GV1	GIVE ONE
NAME: GV2	GIVE TWO
NAME: H or HR	HOUR
NAME: H2O	WATER
NAME: HA	HEADACHE
NAME: HS	AT BEDTIME
NAME: I	INSERT
NAME: I1	INSERT ONE
NAME: I2DB	INSTILL TWO DROPS TWICE DAILY

SIG CODE**EXPANDED SIG**

NAME: 15A	INSERT ONE-HALF APPLICATORFUL INTO VAGINA AS DIRECTED
NAME: 1A	INSERT ONE APPLICATORFUL INTO VAGINA AS DIRECTED
NAME: IDB or IGB	INSTILL ONE DROP TWO TIMES A DAY
NAME: IDQ	INSTILL ONE DROP FOUR TIMES A DAY
NAME: IDT or IGT	INSTILL ONE DROP THREE TIMES A DAY
NAME: IE	IN EARS
NAME: IJW or JW	IN JUICE OR WATER
NAME: IM	INTRAMUSCULARLY
NAME: INH	INHALE
NAME: INO	IN NOSTRILS
NAME: INS	INSTILL
NAME: IV	INTRAVENOUSLY
NAME: K	POTASSIUM
NAME: L	LEFT
NAME: LO or LOC	LOCALLY
NAME: M	TAKE ONE TABLESPOONFUL DISSOLVED IN FLUID DAILY
NAME: MET	TAKE ONE TABLESPOONFUL IN 8 OUNCES OF LIQUID DAILY
NAME: MG	MG
NAME: MIN or MI	MINUTE
NAME: ML or CC	ML
NAME: MLS	ML'S
NAME: MR	MAY REPEAT
NAME: MX	MIX
NAME: N	NOW
NAME: NA	NASALLY
NAME: NS	NOSTRIL
NAME: OD	IN RIGHT EYE
NAME: ONF	ON FEET
NAME: ONR	ON RASH
NAME: ONS	ON SKIN
NAME: ONSC or SC	ON SCALP
NAME: OS or OL	IN LEFT EYE
NAME: OU or IEE	IN EACH EYE
NAME: PA	PATCH
NAME: PB	ONE PACKET/TABLET TWICE DAILY DISSOLVED IN LIQUID
NAME: PC	AFTER MEALS
NAME: PCHS	AFTER MEALS AND AT BEDTIME
NAME: PCS	AS NEEDED FOR COLD SYMPTOMS
NAME: PD	TAKE ONE PACKET/TABLET DAILY DISSOLVED IN LIQUID
NAME: PF	PUFF
NAME: PFC or PRNCO	AS NEEDED FOR COUGH
NAME: PFH or PH	AS NEEDED FOR HEADACHE
NAME: PFP or PP	AS NEEDED FOR PAIN
NAME: PKT	PACKET
NAME: PL	PLACE
NAME: PM	IN THE EVENING
NAME: PN	AS NEEDED FOR NAUSEA
NAME: PNV	AS NEEDED FOR NAUSEA & VOMITING
NAME: PO or BYM	BY MOUTH
NAME: PR or REC	RECTALLY
NAME: PREM	TAKE ONE TABLET EACH DAY FOR 25 DAYS OF 30 EACH MONTH
NAME: PRI or IR	IN RECTUM
NAME: PRN or P	AS NEEDED
NAME: PS	AS NEEDED FOR SLEEP
NAME: PV	AS NEEDED FOR VOMITING

SIG CODE:**EXPANDED SIG**

NAME: Q	EVERY
NAME: Q1-2H	EVERY 1-2 HOURS
NAME: Q12H or Q12	EVERY TWELVE HOURS
NAME: Q2-3H	EVERY 2-3 HOURS
NAME: Q2-4H	EVERY 2-4 HOURS
NAME: Q24H or Q24	EVERY 24 HOURS
NAME: Q2H or Q2	EVERY TWO HOURS
NAME: Q3-4H	EVERY 3-4 HOURS
NAME: Q3H or Q3	EVERY THREE HOURS
NAME: Q4-6H	EVERY 4-6 HOURS
NAME: Q48H	EVERY 48 HOURS
NAME: Q4H or Q4	EVERY FOUR HOURS
NAME: Q6-8H	EVERY 6-8 HOURS
NAME: Q6H or Q6	EVERY SIX HOURS
NAME: Q72H	EVERY 72 HOURS
NAME: Q8-12H	EVERY 8-12 HOURS
NAME: Q8H or Q8	EVERY EIGHT HOURS
NAME: QAM	EVERY MORNING
NAME: QAMHS or AMHS	IN THE MORNING AND AT BEDTIME
NAME: QD or DAILY	EVERY DAY
NAME: QH or QHR	EVERY HOUR
NAME: QHS	EVERY NIGHT
NAME: QID	FOUR TIMES A DAY
NAME: QIDAC or QIDACHS	FOUR TIMES A DAY BEFORE MEALS & AT BEDTIME
NAME: QIDHS	FOUR TIMES A DAY AND AT BEDTIME
NAME: QIDPC or QIDPCHS	FOUR TIMES A DAY AFTER MEALS & AT BEDTIME
NAME: QOD	EVERY OTHER DAY
NAME: QPM	EVERY EVENING
NAME: QW	EVERY WEEK
NAME: R or RT	RIGHT
NAME: RM	RINSE MOUTH
NAME: SHAM or SHH	SHAMPOO HAIR
NAME: SHR or SHAMR	SHAMPOO-RINSE OFF IN 4 MINUTES-REPEAT IN 7 DAYS
NAME: SL	UNDER TONGUE
NAME: SLC or UTCP	UNDER TONGUE FOR CHEST PAIN
NAME: SOL	SEE OTHER LABEL
NAME: SP	SPARINGLY
NAME: SPR	SPRINKLE
NAME: SQ	SUB-CUTANEOUSLY
NAME: SR	SPRAY
NAME: SRO	SPRAY ONCE
NAME: SUP or S	SUPPOSITORY
NAME: T	TAKE
NAME: T1 or TI	TAKE ONE
NAME: T1-2	TAKE 1 TO 2
NAME: T2	TAKE TWO
NAME: TA	TAKE ONE TABLET IN THE MORNING
NAME: TAA	TO AFFECTED AREA
NAME: TAB or TB	TABLET
NAME: TABS or TBS	TABLETS
NAME: TAT	TILL ALL TAKEN
NAME: TBD	TAKE ONE TABLET TWICE DAILY
NAME: TBL or Z or TBSP	TABLESPOONFUL
NAME: TD	TAKE ONE TABLET DAILY
NAME: TH	TAKE ONE TABLET AT BEDTIME

SIG CODE**EXPANDED SIG**

NAME: TID	THREE TIMES A DAY
NAME: TID-QID	3-4 TIMES A DAY
NAME: TIDAC	THREE TIMES A DAY BEFORE MEALS
NAME: TIDHS	THREE TIMES A DAY AND AT BEDTIME
NAME: TIDPC	THREE TIMES DAILY AFTER MEALS
NAME: TOP	TOPICALLY
NAME: TP	TAKE ONE TABLET IN THE EVENING
NAME: TQ	TAKE ONE TABLET FOUR TIMES DAILY
NAME: TR	TO RELAX
NAME: TS or TSP	TEASPOONFUL
NAME: TT	TAKE ONE TABLET THREE TIMES DAILY
NAME: TT12	TAKE ONE TABLET EVERY TWELVE HOURS
NAME: TT2	TAKE ONE TABLET EVERY TWO HOURS
NAME: TT3	TAKE ONE TABLET EVERY THREE HOURS
NAME: TT34	TAKE ONE TABLET EVERY 3 TO 4 HOURS
NAME: TT4	TAKE ONE TABLET EVERY FOUR HOURS
NAME: TT46	TAKE ONE TABLET EVERY 4 TO 6 HOURS
NAME: TT6	TAKE ONE TABLET EVERY SIX HOURS
NAME: TT68	TAKE ONE TABLET EVERY 6 TO 8 HOURS
NAME: TT8	TAKE ONE TABLET EVERY EIGHT HOURS
NAME: TUD or TAD	TAKE AS DIRECTED
NAME: U	USE
NAME: UD	AS DIRECTED
NAME: UUD	UNWRAP BEFORE USING
NAME: UII	UNWRAP AND INSERT
NAME: V or VAG	VAGINALLY
NAME: W	WEEK
NAME: WA	WHILE AWAKE
NAME: WCHS	WITH MEALS AND AT BEDTIME
NAME: WF	WITH FOOD
NAME: WM or WC	WITH MEALS
NAME: WMOM	WITH MILK OR MEALS
NAME: WO	WITHOUT
NAME: WOJ	WITH ORANGE JUICE
NAME: Y	TEASPOONFUL
NAME: Y12	TAKE ONE TEASPOONFUL EVERY TWELVE HOURS
NAME: Y3	TAKE ONE TEASPOONFUL EVERY THREE HOURS
NAME: Y34	TAKE ONE TEASPOONFUL EVERY 3 TO 4 HOURS
NAME: Y4	TAKE ONE TEASPOONFUL EVERY FOUR HOURS
NAME: Y46	TAKE ONE TEASPOONFUL EVERY 4 TO 6 HOURS
NAME: Y6	TAKE ONE TEASPOONFUL EVERY SIX HOURS
NAME: Y68	TAKE ONE TEASPOONFUL EVERY 6 TO 8 HOURS
NAME: Y8	TAKE ONE TEASPOONFUL EVERY EIGHT HOURS
NAME: YA	TAKE ONE TEASPOONFUL IN THE MORNING
NAME: YB	TAKE ONE TEASPOONFUL TWICE DAILY
NAME: YD	TAKE ONE TEASPOONFUL DAILY
NAME: YH	TAKE ONE TEASPOONFUL AT BEDTIME
NAME: YP	TAKE ONE TEASPOONFUL IN THE EVENING
NAME: YQ	TAKE ONE TEASPOONFUL FOUR TIMES DAILY
NAME: YT	TAKE ONE TEASPOONFUL THREE TIMES DAILY
NAME: Z12	TAKE ONE TABLESPOONFUL EVERY TWELVE HOURS
NAME: Z3	TAKE ONE TABLESPOONFUL EVERY THREE HOURS
NAME: Z34	TAKE ONE TABLESPOONFUL EVERY 3 TO 4 HOURS
NAME: Z4	TAKE ONE TABLESPOONFUL EVERY FOUR HOURS
NAME: Z46	TAKE ONE TABLESPOONFUL EVERY 4 TO 6 HOURS

SIG CODE**EXPANDED SIG**

NAME: Z6	TAKE ONE TABLESPOONFUL EVERY SIX HOURS
NAME: Z68	TAKE ONE TABLESPOONFUL EVERY 6 TO 8 HOURS
NAME: Z8	TAKE ONE TABLESPOONFUL EVERY EIGHT HOURS
NAME: ZA	TAKE ONE TABLESPOONFUL IN THE MORNING
NAME: ZB	TAKE ONE TABLESPOONFUL TWICE DAILY
NAME: ZD	TAKE ONE TABLESPOONFUL DAILY
NAME: ZH	TAKE ONE TABLESPOONFUL AT BEDTIME
NAME: ZP	TAKE ONE TABLESPOONFUL IN THE EVENING
NAME: ZQ	TAKE ONE TABLESPOONFUL FOUR TIMES DAILY
NAME: ZT	TAKE ONE TABLESPOONFUL THREE TIMES DAILY
NAME: ZH	TAKE ONE TABLESPOONFUL AT BEDTIME
NAME: ZP	TAKE ONE TABLESPOONFUL IN THE EVENING
NAME: ZQ	TAKE ONE TABLESPOONFUL FOUR TIMES DAILY
NAME: ZT	TAKE ONE TABLESPOONFUL THREE TIMES DAILY